Journal of
POLYMER SCIENCE

VOLUME 59 • 1962

Editorial Board: R. M. FUOSS • J. J. HERMANS • H. MARK
H. W. MELVILLE • C. G. OVERBERGER • G. SMETS

Advisory Board:

T. ALFREY, JR.
Midland, Mich.

W. O. BAKER
Murray Hill, N. J.

P. D. BARTLETT
Cambridge, Mass.

H. BENOIT
Strasbourg

E. R. BLOUT
Cambridge, Mass.

J. W. BREITENBACH
Vienna

C. W. BUNN
Welwyn Garden City

G. M. BURNETT
Aberdeen

S. CLAESSON
Uppsala

F. S. DAINTON
Leeds

P. DEBYE
Ithaca, N. Y.

F. EIRICH
Brooklyn, N. Y.

P. J. FLORY
Pittsburgh, Pa.

N. G. GAYLORD
New York, N. Y.

G. GEE
Manchester

A. KATCHALSKY
Rehovoth

G. M. KLINE
Washington, D. C.

I. M. KOLTHOFF
Minneapolis, Minn.

W. KUHN
Basel

M. MAGAT
Paris

C. S. MARVEL
Tucson, Ariz.

G. NATTA
Milan

A. PETERLIN
Durham, N. C.

C. C. PRICE
Philadelphia, Pa.

CH. SADRON
Strasbourg

G. V. SCHULZ
Mainz

H. M. SPURLIN
Wilmington, Del.

A. J. STAVERMAN
Leiden

W. H. STOCKMAYER
Hanover, N. H.

A. V. TOBOLSKY
Princeton, N. J.

K. UEBERREITER
Berlin

B. H. ZIMM
La Jolla, Calif.

INTERSCIENCE PUBLISHERS
A Division of JOHN WILEY & SONS, INC.

Copyright © 1962 by John Wiley & Sons, Inc.

Printed in U. S. A.

CONTENTS

Vol. 59, Issue Nos. 167–168

Journal of Polymer Science

ISSUE No. 167, MAY

E. H. PRYDE, R. A. AWL, H. M. TEETER, and J. C. COWAN: Condensation Polymers from 3,9-Bis(7-Carbomethoxyheptyl)-2,4,8,10-Tetraoxaspiro (5,5)undecane. I. Poly(ester-acetals) and a Novel Method for Crosslinking Them 1

R. HOSEMANN and W. SCHRAMEK: Statistische Methoden zur Ermittlung der Verteilung der Molekülgrössen in hochpolymeren polymolekularen Systemen aus Experimentalergebnissen der fraktionierten Fällung. I. Mitteilung: Mathematische Grundlagen 13

R. HOSEMANN and W. SCHRAMEK: Statistische Methoden zur Ermittlung der Verteilung der Molekülgrössen in hochpolymeren polymolekularen Systems aus Experimentalergebnissen der fraktionierten Fällung. II. Mitteilung: Auswertungsmethoden 29

R. HOSEMANN and W. SCHRAMEK: Statistische Methoden zur Ermittlung der Verteilung der Molekülgrössen in hochpolymeren polymolekularen Systemen aus Experimentale gebnissen der fraktionierten Fällung. III. Mitteilung: Der Abbrucheffekt und seine Abschätzung 51

I. GEMERI, O. MELÍNEK, and I. STIMEL': Thermooxidative Degradation of Polyesters. A Contribution to the Study of Degradation Reactions of Some Types of Linear Polyesters 71

M. KUČERA and J. LÁNÍKOVÁ: Thermal Stability of Polydimethylsiloxane. II. Formation of Stable Complexes on Basic Active Centers 79

EDWARD SCHONFELD: Preparation and Physical Properties of a Homologous Series of Polyformal Urethanes 87

T. SCHIMANOUCHI, M. ASAHINA, and S. ENOMOTO: Elastic Moduli of Oriented Polymers. I. The Simple Helix, Polyethylene, Polytetrafluorethylene, and a General Formula 93

M. ASAHINA and S. ENOMOTO: Elastic Moduli of Oriented Polymers. II. $(—A_1—A_2—)_n$-Type Polymers 101

S. ENOMOTO and M. ASAHINA: Elastic Moduli of Oriented Polymers III. The $(—A_1—A_2—A_3—)_n$ and $(—A_1—A_2—A_3—A_4—)_n$ Types. 113

L. ALEXSANDRU, M. OPRIS, and A. CIOCĂNEL: Cyanoethyl and Aminopropyl Ethers of Polyvinyl Alcohol 129

MASAMICHI TSUBOI: Infrared Dichroism and Molecular Conformation of α-Form Poly-γ-benzyl-L-glutamate 139

A. M. BROWN: The Mechanism of Cellulose Biosynthesis by *Acetobacter Acetigenum* 155

A. M. Rijke and W. Prins: The Swelling of Cellulose Acetate Networks Obtained by Crosslinking in Solution 171
J. J. Hermans: Statistical Thermodynamics of Swollen Polymer Networks 191
J. A. Mikes and L. I. Kovacs: Chemical Properties of Bipolar Electrolyte Exchange Resins 209
G. W. Urbanczyk: Regarding the Change of Crystallinity and Average Crystallite Size Occurring at Polycaprolactam Filaments by the Cold Drawing Process 215

NOTES

F. W. Michelotti: Preparation and Copolymerization of 1-Diallylamino-2,3-Epoxypropane S1
W. Cooper, G. Vaughan, and J. Yardley: Limiting Factors in the Gradient Elution Fractionation of Polybutadienes S2
G. J. Howard: Molecular Weight Averages and the Tung Distribution Function S4
D. J. Kelley: The Polymerization of Vinyl Esters in the Presence of Lithium Metal S6

Polymer News S9

Abstracts from *High Molecular Weight Compounds* (*Vysokomolekulyarnye Soedineniya*), Volume III, Issue 4, April 1961 ..... S11

Abstracts from *High Molecular Weight Compounds* (*Vysokomolekulyarnye Soedineniya*), Volume III, Issue 5, May 1961 ..... S21

Abstracts from *High Molecular Weight Compounds* (*Vysokomolekulyarnye Soedineniya*), Volume III, Issue 6, June 1961 ..... S29

Issue No. 168, June

R. N. Bashaw and B. G. Harper: Radiation-Induced Crosslinking of Polypotassium Acrylate 221
Tōro Kawai: A Method of Estimating the Parameters in the Mark-Houwink Equation from Molecular Weight and Second Virial Coefficient 233
W. Cooper, D. E. Eaves, and G. Vaughan: Solution Properties of Polybutadiene and *trans*-Polyisoprene Fractions 241
Z. Lasocki and S. Chrzczonowicz: Kinetics of the Polycondensation of Dimethylsilanediol 259
D. W. Jones: Proton Magnetic Resonance Absorption in Dry Nylons 66 and 610 271
Harry R. Elden and Betty Cassac: Urea-Induced Contraction-Relaxation of Rat Tail Tendons 283
E. Giglio, F. Pompa, and A. Ripamonti: Molecular Conformation of Linear Polyphosphonitrile Chloride 293
David W. McCall, Dean C. Douglass, and Ernest W. Anderson: Nuclear Magnetic Relaxation in Polymer Melts and Solutions ... 301
C. Crouzet et J. Marchal: Action des Rayons γ du Radiocobalt sur les Solutions Aqueuses de Polyoxyéthylèneglycol 317
Nishio Hirai: A Source of Screw Dislocation on Polyethylene Single Crystals 321
A. V. Tobolsky and G. D. T. Owen: A General Treatment of Equilibrium Copolymerization 329

Louis D. Moore, Jr., George R. Greear, and John O. Sharp: Investigation of Polyethylene with the Analytical Ultracentrifuge 339
R. H. Marchessault and C. Y. Liang: The Infrared Spectra of Crystalline Polysaccharides. VIII. Xylans 357
E. B. Trostyanskaya, I. P. Losev, A. S. Tevlina, S. B. Makarova, G. Z. Nefedova, and Lu Syan'-Zhao: Chemical Transformation of Insoluble Copolymers of Styrene 379
P. D. Davidse, H. I. Waterman, and J. B. Westerdijk: Sound Velocity and Young's Modulus in Polyethylene 389
George W. Phillips and Wayne L. Carrick: Transition Metal Catalysts. VIII. The Role of Oxygen in Ethylene Polymerizations with the $AlBr_3$–VX_n–$Sn(C_6H_5)_4$ Catalyst 401
Hiroyuki Tadokoro, Kiyoaki Tatsuka, and Shunsuke Murahashi: Infrared Absorption Spectra and Structure of Polyethylene Terephthalate 413
C. E. Grabiel and D. L. Decker: Copolymerization Characteristics of Sodium Styrenesulfonate 425

Polymer News 432

ERRATUM

Yoshitada Tomoda and Minoru Tsuda: Some Aspects of the Crosslinking and Degradation of Gelatin Molecules in Aqueous Solution Irradiated by ^{60}Co Rays (article in *J. Polymer Sci.*, **54**, 321–328, 1961) 434

LETTERS TO THE EDITORS

Murray Goodman and Akihiaro Abe: Synthesis of Optically Active Polyaldehydes S37
D. H. Reneker: Point Dislocations in Crystals of High Polymer Molecules S39
H. Leaderman: Large Longitudinal Retarded Elastic Deformation of Rubberlike Network Polymers S42

NOTES

Roger K. Graham, David L. Dunkelberger, and John R. Panchak: Synthetic Approaches to Atactic Poly(methyl Methacrylate) S43
W. B. Smith and D. T. Manning: The Kolbe Electrolysis as a Source of Free Radicals in Solution. IV. The Polymerization of Acrylic Acid S45
P. Jager and E. S. Waight: γ-Radiation-Induced Polymerization of *p*-N,N-Dimethylaminostyrene S47

Abstracts from *High Molecular Weight Compounds* (*Vysokomolekulyarnye Soedineniya*), Volume III, Issue 7, July 1961 ..... S49

Abstracts from *High Molecular Weight Compounds* (*Vysokomolekulyarnye Soedineniya*), Volume III, Issue 8, August 1961 ..... S59

AUTHOR INDEX, VOLUME 59

Alexsandru, L., Oprish, M., and Ciocănel, A.: Cyanoethyl and aminopropyl ethers of polyvinyl alcohol, 131

Anderson, E. W.: see McCall, D. W.

Asahina, M., and Enomoto, S.: Elastic moduli or oriented polymers. II. $(—A_1—A_2—)_n$ type polymers, 105

——: see Enomoto, S.

——: see Shimanouchi, T.

Awl, R. A.: see Pryde, E. H.

Bashaw, R. N., and Harper, B. G.: Radiation-induced crosslinking of polypotassium acrylate, 221

Brown, A. M.: The mechanism of cellulose biosynthesis by *acetobacter acetigenum*, 157

Carrick, W. L.: see Phillips, G. W.

Cassac, B.: see Elden, H. R.

Chrzczonowicz, S.: see Lesocki, Z.

Ciocănel, A.: see Alexsandru, L.

Cooper, W., Eaves, D. E., and Vaughan, G.: Solution properties of polybutadiene and *trans*-polyisoprene fractions, 241

——, Vaughan, G., and Yardley, J.: Limiting factors in the gradient elution fractionation of polybutyandiene, S2

Cowan, J. C.: see Pryde, E. H.

Crouzet, C., and Marchal, J.: Action des rayons du radiocobalt sur les solutions aqueuses de polyoxyethylèneglycol, 317

Davidse, P. D., Waterman, H. I., and Westerdijk, J. B.: Sound velocity and Young's modulus in polyethylene, 389

Decker, D. L.: see Grabiel, C. E.

Douglass, D. C.: see McCall, D. W.

Dunkelberger, D. L.: see Graham, R. K.

Eaves, D. E.: see Copper, E.

Elden, H. R., and Cassac, B.: Urea-induced contraction-relaxation of rat tail tendons, 283

Enomoto, S., and Asahina, M.: Elastic moduli of oriented polymers III. The $(—A_1—A_2—A_3—)_n$ and $(—A_1—A_2—A_3—A_4—)_n$ types, 115

——: see Asahina, M.

——: see Shimanouchi, T.

Gemeri, I., Mleinek, O., and Stimel', I.: Thermooxidative degradation of polyesters. A contribution to the study of degradation reactions of some types of linear polyesters, 75

Giglio, E., Pompa, F., and Ripamonti, A.: Molecular conformation of linear polyphosphonitrile chloride, 293

Grabiel, C. E., and Decker, D. L.: Copolymerization characteristics of sodium styrenesulfonate, 425

Graham, R. K., Dunkelberger, D. L., and Panchak, J. R.: Synthetic approached to atactic poly(methyl methacrylate), S43

Greear, G. R.: see Moore, L. D.

Harper, B. G.: see Bashaw, R. N.

Hermans, J. J.: Statistical thermodynamics of swollen polymer networks, 191

Hirai, N.: A source of screw dislocation on polyethylene single crystals, 321

Hoseman, R., and Schramek, W.: Statistische methoden zur ermittlung der verteilung der molekülgrössen in hochpolymeren polymolekularen systemen aus experimentalergebnissen der fraktionierten fällung. I. Mitteilung: auswertungsmethoden, 13

——, and Schramek, W.: Statistische methoden zur ermittlung der verteilung der molekülgrössen in hochpolymeren polymolekularen systemen aus experimentalergebnissen der fraktionierten fällung. II. Mitteilung: auswertungsmethoden, 29

——, and Schramek, W.: Statistische methoden zur ermittlung der verteilung der molekülgrössen in hochpolymeren polymolekularen systemen aus experimentalergebnissen der fraktionierten fällung. III. Mitteilung: der abbruch-effekt und seine abschätzung, 53

Howard, G. J.: Molecular weight averages and the tung distribution function, S4

Jager, P., and Waight, E. S.: γ-radiation-induced polymerization of *p*-N,N-dimethylaminostyrene, S47

Jones, D. W.: Proton magnetic resonance absorption in dry nylons 66 and 610, 271

Kawai, T.: A method of estimating the parameters in the Mark-Houwink equation from molecular weight and second virial coefficient, 233

Kelley, D. J.: The polymerization of vinyl esters in the presence of lithium metal, S6

Kovacs, L. I.: see Mikes, J. A.

Kučera, M., and Láníková, J.: Thermal stability of polydimethylsiloxane. II. Formation of stable complexes on basic active centers, 83

Láníková, J.: see Kučera, M.

Lasocki, Z., and Chrzczonowicz, S.: Kinetics of the polycondensation of dimethylsilanediol, 259

Liang, C. Y.: see Marchessault, R. H.

Losev, I. P.: see Trostyanskaya, E. B.

Makarova, S. B.: see Trostyanskaya, E. B.

Manning, D. T.: see Smith, W. B.

Marchal, J.,: see Crouzet, C.

Marchessault, R. H., and Liang, C. Y.: The infrared spectra of crystalline polysaccharides. VIII. Xylans, 357

McCall, D. W., Douglass, D. C., and

Anderson, E. W.: Nuclear magnetic relaxation in polymer melts and solutions, 301
Michelotti, F. W.: Preparation and copolymerization of 1-diallylamino-2,3-epoxypropane, S1
Mikes, J. A., and Kovacs, L. I.: Chemical properties of bipolar electrolyte exchange resins, 209
Mleinek, O.: see Gemeri, I.
Moore, L. D., Greear, G. R., and Sharp, J. O.: Investigation of polyethylene with the analytical ultracentrifuge, 339
Murahashi, S.: see Tadokoro, H.
Nefedova, G. Z.: see Trostyanskaya, E. B.
Oprish, M.: see Alexsandru, L.
Owen, G. D. T.: see Tobolsky, A. V.
Panchak, J. R.: see Graham, R. K.
Phillips, G. W., and Carrick, W. L.: Transition metal catalysts. VIII. The role of oxygen in ethylene polymerization with the $AlBr_3$–VX_n–$Sn(C_6H_5)_4$ catalyst, 401
Pompa, F.: see Giglio, E.
Prins, W.: see Rijke, A.
Pryde, E. H., Awl, R. A., Teeter, H. M., and Cowan, J. C.: Condensation polymers from 3,9-Bis (7-carbomethoxyheptyl)-2,4,8,10-Tetraoxspiro (5,5)-undecane. I. Poly(ester-acetals) and a novel method for crosslinking them, 1
Rijke, A. M., and Prins, W.: The swelling of cellulose acetate networks obtained by crosslinking in solution, 173
Ripamonti, A.: see Giglio, E.
Schonfeld, E.: Preparation and physical properties of a homologous series of polyformal urethanes, 91
Schramek, W.: see Hoseman, R.
Sharp, J. O.: see Moore, L. D.
Shimanouchi, T., Asahina, M., and Enomoto, S.: Elastic moduli of oriented polymers. I. The simple helix, polyethylene, polytetrafluorethylene, and a general formula, 93
Smith, W. B., and Manning, D. T.: The Kolbe electrolysis as a source of free radicals in solution. IV. The polymerization of acrylic acid, S45
Stimel', I.: see Gemeri, I.
Syan'-Zhao, L.: see Trostyanskaya, E. B.
Tadokoro, H., Tatsuka, K. L., and Murahashi, S.: Infrared absorption spectra and structure of polyethylene terephthalate, 413
Tatsuka, K. L.: see Tadokoro, H.
Teeter, R. A.: see Pryde, E. H.
Tevlina, A. S.: see Trostyanskaya, E. B.
Tobolsky, A. V. and Owen, G. D. T.: A general treatment of equilibrium copolymerization, 329
Trostyanskaya, E. B., Losev, I. P., Tevlina, A. S., Makarova, S. B., Nefedova, G. Z., and Syan'-Zhao, L.: Chemical transformation of insoluble copolymers of styrene, 379
Tsuboi, M.: Infrared dichroism and molecular conformation of α-form poly-γ-benzyl-L-glutamate, 141
Urbanczyk, G. W.: Regarding the change of crystallinity and average crystallite size occurring at polycaprolactam filaments by the cold drawing process, 215
Vaughan, G.: see Cooper, W.
Waight, E. S.: see Jager, P.
Waterman, H. I.: see Davidse, P. D.
Westerdijk, J. B.: see Davidse, P. D.
Yardley, J.: see Cooper, W.

SUBJECT INDEX, VOLUME 59

Acetobacter acetigenum, cellulose biosynthesis, 171
Acrylic acid, polymerization, S45
Catalyst, transition metal, 401
Cellulose, biosynthesis, 155
Cellulose acetate, swelling of networks in solution, 171
Chemical transformation, styrene copolymers, 379
Condensation polymers, new method of crosslinking, 1
Copolymerization, equilibrium, 329
  sodium styrenesulfonate, 425
Copolymers, insoluble, chemical transformation, 379
Crosslinking, poly(ester-acetals), new method, 1
  γ-irradiated gelatin molecules (*erratum*), S74
  radiation-induced, polypotassium acrylate, 221
Crystalline polysaccharides, infrared spectra, 357
Crystallinity, polycaprolactam filaments, 215
Crystals, point dislocations, S39
Degradation, γ-irradiated gelatin molecules, (*erratum*), S74
1-Diallylamino-2,3-epoxypropane, preparation and copolymerization, S1
p-N,N-Dimethylaminostyrene, gamma-radiation polymerization, S47
Dimethylsilanediol, polycondensation, 259
Elastic deformation, rubberlike network polymers, S42
Elastic modulus, oriented polymers, 93, 101, 113
Electrolysis, Kolbe, source of free radicals, S45
Equilibrium copolymerization, 329
Ethylene polymerization, transition metal catalysts, 401
Fractional precipitation, for determining molecular size distribution, 13, 29, 51
Free radicals, Kolbe electrolysis source, S45
Gamma rays, aqueous solutions of polyoxyethyleneglycol, 317
Gelatin molecules, γ-irradiated (*erratum*), S74
Infrared spectra, polyethylene terephthalate, 413
Infrared spectra, polyethylene terephthalate, 413
  xylans, 357
Mark-Houwink equation, parameters, 233
Molecular conformation, poly-γ-benzyl-L-glutamate, 139
  polyphosphonitrile chloride, 293
Molecular size distribution, statistical determination, 13, 29, 51
Molecular weight, averages, and Tung distribution function, S4
Molecular weight, and Mark-Houwink equation, 233
Nuclear magnetic relaxation, melts and solutions, 301
Nylons, dry, PMR absorption, 271
Oxygen, ethylene polymerization, 401
Polyaldehydes, optically active, synthesis, S37
Poly-γ-benzyl-L-glutamate, molecular conformation, 139
Polybutadiene, gradient elution fractionation, S2
  solution properties, 241
Polycaprolactam, filaments, crystallinity, 215
Polycondensation, dimethylsilanediol, 259
Polydimethylsiloxane, thermal stability, 79
Poly(ester-acetals), crosslinking, new method, 1
Polyesters, thermooxidative degradation, 7
Polyethylene, analytical ultracentrifuge, 339
  sound velocity and Young's modulus, 389
  source of screw dislocation, 321
Polyethylene terephthalate, infrared spectra, 413
trans-Pclyisoprene, solution properties, 241
Poly(methyl methacrylate atactic, S43
Polyoxyethyleneglycol, effect of gamma rays, 317
Polyphosphonitrile chloride, linear, conformation, 293
Polypotassium acrylate, crosslinking, 221
Polyvinyl alcohol, cyanoethyl and aminopropyl ethers of, 129

Proton magnetic resonance, dry nylons, 271
Radiation, gamma, *p*-*N*,*N*-dimethyl aminostyrene, S47
Resins, bipolar electrolyte exchange, chemical properties, 209
Screw dislocation, polyethylene single crystals, 321
Second virial coefficient, and Mark-Houwink equation, 233
Sodium styrenesulfonate, 425
Solution properties, polybutadiene and *trans*-polyisoprene, 241
Sound velocity, polyethylene, 389
Statistical methods, molecular size distribution, 13, 29, 51
Styrene, chemical transformation of insoluble copolymers, 379
Swelling, cellulose acetate networks, 171
polymer networks, statistical thermodynamics, 191
Thermal stability, polydimethylsiloxane, 79
Thermodynamics, statistical, swollen polymer networks, 191
Tung distribution function, and molecular weight averages, S4
Ultracentrifuge, polyethylene, 339
Urea, inducing contraction–relaxation, rat tail tendons, 283
Urethanes, polyformal, homologous series, 87
Virial coefficient, second, and Mark-Houwink equation, 233
Xylans, infrared spectra, 357
Young's modulus, polyethylene, 389